

Product Datasheet

Cubilin Antibody



Catalog No: CY5002

Reactivity: Human, Mouse, Rat

Isotype: Rabbit IgG

Applications: WB

www.abways.com

Information

UniProt ID: O60494

All Names: Cubilin; Cubn; IFCR; MGA1; Cubilin precursor; megaloblastic anemia 1;

Form: Liquid

Storage instructions: Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Storage buffer: pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Purity: Affinity-chromatography

Immunogen: A synthesized peptide


Molecular Wt.: 399 kDa

Application

WB: 1:500~1:2000

Background

Cotransporter which plays a role in lipoprotein, vitamin and iron metabolism, by facilitating their uptake. Binds to ALB, MB, Kappa and lambda-light chains, TF, hemoglobin, GC, SCGB1A1, APOA1, high density lipoprotein, and the GIF-cobalamin complex. The binding of all ligands requires calcium. Serves as important transporter in several absorptive epithelia, including intestine, renal proximal tubules and embryonic yolk sac. Interaction with LRP2 mediates its trafficking throughout vesicles and facilitates the uptake of specific ligands like GC, hemoglobin, ALB, TF and SCGB1A1. Interaction with AMN controls its trafficking to the plasma membrane and facilitates endocytosis of ligands. May play an important role in the development of the peri-implantation embryo through internalization of APOA1 and cholesterol. Binds to LGALS3 at the maternal-fetal interface.



Western blot analysis of Cubilin expression in Human fetal kidney lysate.

For Research Use Only. Not For Use In Diagnostic Procedures.

www.abways.com