

Product Datasheet

LRRK2 Antibody

Catalog No: CY5130

Reactivity: Human, Mouse, Rat

Isotype: Rabbit IgG

Applications: WB IHC ICC/IF IP



www.abways.com

Information

UniProt ID: Q5S007

All Names: AURA17; Dardarin antibody;; Leucine rich repeat kinase 2; LRRK 2 antibody; LRRK2; LRRK2_HUMAN; PARK 8; PARK8; RIPK7; ROCO 2; ROCO2;

Form: Liquid

Storage instructions: Store at +4° C short term. Store at -20° C long term. Avoid freeze / thaw cycle.

Storage buffer: pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Purity: Affinity-chromatography

Immunogen: Synthesized peptide

Molecular Wt.: 280kDa

Application

WB: 1:500~1:2000


IHC: 1:50~1:200

ICC/IF: 1:50~1:200

IP: 1:50

Background

Positively regulates autophagy through a calcium-dependent activation of the CaMKK/AMPK signaling pathway. The process involves activation of nicotinic acid adenine dinucleotide phosphate (NAADP) receptors, increase in lysosomal pH, and calcium release from lysosomes. Together with RAB29, plays a role in the retrograde trafficking pathway for recycling proteins, such as mannose 6 phosphate receptor (M6PR), between lysosomes and the Golgi apparatus in a retromer-dependent manner. Regulates neuronal process morphology in the intact central nervous system (CNS). Plays a role in synaptic vesicle trafficking. Phosphorylates PRDX3. Has GTPase activity. May play a role in the phosphorylation of proteins central to Parkinson disease.



Western blot analysis of LRRK2 expression in U87-MG cell lysate.

For Research Use Only. Not For Use In Diagnostic Procedures.

www.abways.com