

Product Datasheet

LRRK2 Antibody

Catalog No: CY5195

Reactivity: Human Mouse

Isotype: Rabbit IgG

Applications: WB IHC ICC/IF



www.abways.com

Information

UniProt ID: Q5S007

All Names: Leucine-rich repeat serine/threonine-protein kinase 2; Dardarin; PARK8; ROCO2; RIPK7; LRRK2

Form: Liquid

Storage instructions: Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Storage buffer: pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Purity: Affinity-chromatography

Immunogen: A synthesized peptide

Molecular Wt.: 286 kDa

Application


WB: 1:500~1:2000

IHC: 1:50~1:200

ICC/IF: 1:50~1:200

Background

LRRK2 positively regulates autophagy through a calcium-dependent activation of the CaMKK/AMPK signaling pathway. The process involves activation of nicotinic acid adenine dinucleotide phosphate (NAADP) receptors, increase in lysosomal pH, and calcium release from lysosomes. Together with RAB29, plays a role in the retrograde trafficking pathway for recycling proteins, such as mannose 6 phosphate receptor (M6PR), between lysosomes and the Golgi apparatus in a retromer-dependent manner. Regulates neuronal process morphology in the intact central nervous system (CNS). Plays a role in synaptic vesicle trafficking. Phosphorylates PRDX3. Has GTPase activity. May play a role in the phosphorylation of proteins central to Parkinson disease.



Western blot analysis of LRRK2 expression in GFP-LRRK2 lysate.

For Research Use Only. Not For Use In Diagnostic Procedures.

www.abways.com